## **LANDSCAPE PRO™ MULTI**

### The Most Versatile Electric Fireplace on the Market

- MULTI SIZES: 44" | 56" | 68" | 80" | 96" | 120"
- MULTI INSTALL DEPTHS: BUILT-IN CLEAN FACE PARTIAL 2x4 RECESS WALL MOUNT
- MULTI CONFIGURATIONS: SINGLE SIDED, LEFT CORNER, RIGHT CORNER & 3-SIDED (BAY)
- MULTI LIGHT CONTROL: FLAME COLOR, EMBER BED COLOR & DOWNLIGHTING COLOR
- MULTI LIGHT COLORS: FULL RGB COLOR SPECTRUM IN ALL LIGHTING FEATURES

Up to 10 different install configurations\* included standard in the box!
\*Wall mount kits sold separately.

Choose a beautiful single sided installation or get creative and design the fireplace exactly how you want into the feature wall of your dreams.





New high intensity multi-color flame technology paired with matching up lighting and downlighting create the full customizable experience in the home.

Hundreds of different stunning color combinations to select from!



### **STANDARD FEATURES**

#### LIGHTING

- Higher Intensity Ember Bed Activity
- Improved Flames
- Higher Intensity Flame LEDs

#### **MEDIA**

- Clear Acrylic Stone Media
- Black Smoke Acrylic Crystals
- Hand-Painted Canyon Driftwood
- New Log Design Highly Detailed Realism

#### **HEAT**

- Up To 10,000 BTU Heat Output
- High Efficiency PTC Ceramic Heater

#### **CONTROLS & FUNCTIONS**

- Wi-Fi Connect to Fireplace (Alexa/Google home compatible)
- Basic Features Manual Controls
- Flame Speed (4 speed settings)
- Full Feature Remote Control
  - · RGB Color Wheel
  - Brightness Slide Bar

### **OPTIONAL UPGRADES**

- Standard Single-Sided Trim included
- 5 Piece Trim Kit (sold separate)

### **UPGRADED MEDIA**

- $\frac{1}{2}$ " Reflective Fireglass 10 lb. jars
  - 7 Color Options
- Wall Mount Cabinets

### **OPTIONAL CONTROL**

• Wireless Thermostat & Full Wall Control

### **LIGHTING - INDEPENDENT COLOR CONTROL**

Full Color Spectrum Lighting for Flames, Ember Bed & Downlighting







### **MEDIA - NEW PREMIUM LOG DESIGN STANDARD**







### HEAT - 5,000 - 10,000 BTU

120V & 240V High Efficiency Ceramic Heater - Indoor & Outdoor Approved





FLAMES & LIGHTING 15 WATTS NO HEAT



1500 WATT HEATER 120V 5,000 BTU UP TO 400 SQ FT



3000 WATT HEATER 240V 10,000 BTU UP TO 800 SQ FT



Landscape Pro™ Multi Fireplaces are equipped with adjustable heaters controlled by remote or phone app. Wireless Wall Control has thermostat controls.



### STANDARD CONTROLS

REMOTE CONTROL & MANUAL CONTROL





### **UPGRADE CONTROLS**

WIRELESS WALL THERMOSTAT CONTROL Sold separately.



PT# MF-PRO-V2-WTC

### MULTI INSTALLATIONS - MULTIPLE DIFFERENT CONFIGURATIONS

#### **MULTI INSTALL DEPTHS:**

- BUILT-IN CLEAN FACE
- PARTIAL 2x6 RECESS
- WALL MOUNT\*

#### **MULTI CONFIGURATIONS:**


- SINGLE SIDED
- LEFT CORNER
- BUILT-IN RECESSED (2X4)

WALL MOUNT\*

 RIGHT CORNER FLOATING WALL CABINET



FLOOR CAE





BINET	WALL MOUNT*	
		*Mantel & Accessories Sold Separately

MODEL & C	ONFIGURATION	,	VIEWING AREA	1			FIREBOX	DIMENSIONS	
		A		C	D				
MODEL#	CONFICURATION	FRONT GLASS	SIDE GLASS	CLASS DESCRIT	OVERALL	OVERALL	OVERALL	воттом то	TOPTO
MODEL# CONFIGURATION		WIDTH	WIDTH	GLASS HEIGHT	WIDTH	HEIGHT	DEPTH	VIEWING	VIEWING
LPM-4416V2 SINGLE SIDED	43.75"		15.75"	44.0625"	25"	11.625"	4.625"	4.625*	
LFW-4410V2	SHADEE SIDED	(1111.25mm)		(400.05mm)	(1119.19mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
	CORNER (L/R)	43.75"	5" (127mm)	15.75"	44.0625"	25"	11.625"	4.625"	4.625"
	comen (c) ny	(1111.25mm)	3 (12711111)	(400.05mm)	(1119.19mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
	3-SIDED (BAY)	43.75"	5" (127mm)	15.75"	44.0625"	25"	11.625"	4.625"	4.625"
	3 310 20 (011)	(1111.25mm)		(400.05mm)	(1119.19mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
LPM-5616V2	SINGLE SIDED	55.75*		15.75"	56.0625"	25"	11.625"	4.625"	4.625"
27.11. 502012	SHAGE SIDEO	(1416.05mm)		(400.05mm)	(1423.99mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
	CORNER (L/R)	55.75*	5" (127mm)	15.75"	56.0625"	25"	11.625*	4.625"	4.625*
		(1416.05mm)	- (,	(400.05mm)	(1423.99mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
	3-SIDED (BAY)	55.75*	5" (127mm)	15.75"	56.0625"	25"	11.625"	4.625"	4.625"
	3 31010 (0117)	(1416.05mm)	5 (12711111)	(400.05mm)	(1423.99mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
LPM-6816V2	SINGLE SIDED	67.75"		15.75"	68.0625"	25"	11.625"	4.625"	4.625"
		(1720.85mm)		(400.05mm)	(1728.79mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
	CORNER (L/R)	67.75*	mm) 5" (127mm)	15.75"	68.0625"	25"	11.625"	4.625"	4.625**
		(1720.85mm)		(400.05mm)	(1728.79mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
	3-SIDED (BAY)	67.75"	5" (127mm)	15.75"	68.0625"	25"	11.625"	4.625"	4.625"
		(1720.85mm)	- ,,	(400.05mm)	(1728.79mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
LPM-8016V2	SINGLE SIDED	79.75"	-	15.75"	80.0625"	25"	11.625"	4.625"	4.625"
		(2025.65mm)		(400.05mm)	(2033.59mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
	CORNER (L/R)	79.75*	5" (127mm)	15.75"	80.0625"	25"	11.625"	4.625"	4.625"
		(2025.65mm)		(400.05mm)	(2033.59mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
	3-SIDED (BAY)	79.75*	5" (127mm)	15.75"	80.0625"	25"	11.625"	4.625"	4.625"
		(2025.65mm) 96.75**		(400.05mm) 15.75"	(2033,59mm) 96.0625"	(635mm) 25"	(295.28mm) 11.625"	(117.48mm) 4.625"	(117.48mm) 4.625**
LPM-9616V2	SINGLE SIDED	(2457.45mm)	-	(400.05mm)	(2439.99mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
		96.75"		15.75°	96.0625"	25°	11.625°	4.625"	4.625°
	CORNER (L/R)	(2457.45mm)	5" (127mm)	(400.05mm)	(2439.99mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
		96.75"		15.75"	96.0625"	25"	11.625"	4.625"	4.625**
3-SIDED (BAY)	(2457.45mm)	5" (127mm)	(400.05mm)	(2439.99mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	
		119.75"		15.75"	120.0625"	25"	11.625"	4.625"	4.625"
LPM-12016V2	SINGLE SIDED	(3041.65mm)	-	(400.05mm)	(3049.59mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
		119.75*		15,75"	120.0625"	25"	11.625"	4.625"	4.625"
	CORNER (L/R)	(3041.65mm)	5" (127mm)	(400.05mm)	(3049.59mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
		119.75*	5" (127mm)	15.75"	120.0625"	25"	11.625"	4.625"	4.625"
1	3-SIDED (BAY)	(3041.65mm)		(400.05mm)	(3049.59mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)
	Note Dimensions include screw heads on the exterior of the fireplace.								
				re printeligio			THE CHECK OF C	, jireprace	

-	
BACKTO	l 1
VIEWING	
	Į
4.125**	l 1
(104.78mm)	
4.125*	Į
(104.78mm)	
-	
4.125"	
(104.78mm)	
4.125**	
(104.78mm)	
4.1368	
4.125**	
(104.78mm) 4.125**	
(104.78mm)	
(104.76/11/1)	
-	
4.125"	
(104.78mm)	
4.125"	
(104.78mm)	
-	
4.125*	
(104.78mm)	
4.125°	
(104.78mm)	
4.125**	
(104.78mm)	
4.125*	
(104.78mm)	

modernflames.com

# LANDSCAPE PRO™ MULTI STUDIO SUITES

Modern Flames Landscape Pro™ Multi Studio Suites are artfully crafted and American Made. These mantels are specifically designed for our Landscape Pro™ Multi for a wall mount application. Constructed with high detail woods the Studio Suites are available in a Driftwood Gray, Weathered Walnut, Coastal Sand or white paint grade ready for the DIY'er to finish it off themselves. For the wall mount applications simply attach the Landscape Pro™ Multi to the wall and then attach the Suites mounting brackets for the top and bottom pieces. The additional fireplace that is exposed from the wall will be finished off with the top and bottom and side wood furniture pieces. These Studio Suites are the perfect way to finish off this fully featured electric fireplace. \*Matels are sold separately from fireplace.



## STUDIO SUITES - LANDSCAPE PRO™ MULTI

### Dimension Specs

### WALL MOUNT MANTEL DIMENSIONAL SPECS (Assembled)

Part #	Width	Heigth	Depth
WMC-44LPM-(#Color)	58.5	28	14
WMC-56LPM-(#Color)	70.5	28	14
WMC-68LPM-(#Color)	82.5	28	14
WMC-80LPM-(#Color)	94.5	28	14

COLORS: COASTAL SAND (CS), WEATHERED WALNUT (WW), DRIFTWOOD GRAY (DG), READY TO PAINT (RTF)

