













SPECTRUM SLIMLINE SERIES

Recessed Flush Mount or Wall Mount Electric Fireplace

Modern Flames new Spectrum Slimline has revamped the recessed electric fireplace category. This 2" x 4" or wall mount installation electric fireplace has removed the large black glass surround and is finished off with a sleek 5/8" trim to maximize the viewing area. Hardwoods or tile can be finished right up to the opening of the fireplace while still keeping in mind serviceability. The Spectrum Slimline features high intensity flame and ember bed lighting showcasing our new Hybrid-FX™ flame technology independently controlled with 10 different color options. Other standard features include variable & thermostatic heat, variable motor controls, timer, push button and remote controls. The acrylic crystal media and driftwood logs are both standard media and the Spectrum Slimline is available in 50", 60", 74" & 100" sizes.



STANDARD FEATURES

-  Hybrid-FX™ Flame Technology
-  Log Set – Highly Detailed Realism
-  10 Color Flame Combinations with Ember Bed Lighting, plus color auto cycling.
-  Glacier Glass Ember Bed
-  Low Energy LED Flame Technology
-  Touch Button Controls
-  New Sleek Remote
-  Can be Installed Beneath a TV
-  Variable Heat with Thermostat
-  Variable Flame Controls
-  120 Volt Plug
-  Do it Yourself Installation Instructions

SPECTRUM SLIMLINE SERIES

Independent Flame & Ember Bed Color Combinations

The 6 button control panel is located at the top right of fireplace including a digital readout thermostat. From right to left, button #1 turns the fireplace on or off. Button #2 controls ember bed lights. #3 controls the flame colors #4 turns the heater on or off. Button #5 controls timer setting to turn off fireplace at selected time, and button #6 adjusts the desired heater temperature.



10 Flame & Ember Bed Colors Controlled Independently - Examples Shown Below



Blue Flames & Blue Ember Bed



Blue Flames & Orange Ember Bed



Orange Flames & Orange Ember Bed



Gold Flames & Gold Ember Bed



Green Flames & Green Ember Bed



Magenta Flames & Magenta Ember Bed



Pink Flames & Blue Ember Bed



Red Flames & Red Ember Bed



Purple Flames & Blue Ember Bed
modernflames.com



Orange Flames & Blue Ember Bed



Gold Flames & Green Ember Bed




Purple Flames & Purple Ember Bed

SPECTRUM SLIMLINE SERIES

Dimension Specs


SPECTRUM SLIMLINE DIMENSIONAL SPECS

Model Number	A	B	C	D	E	F	G	H	FINISHED OPENING DIMENSIONS W x H x D
SPS-50B	49-3/4" (1264mm)	17" (430mm)	4-3/4" (121mm)	48-5/8" (1235mm)	16-1/8" (410mm)	4" (102mm)	46" (1168mm)	12" (305mm)	48-7/8" (1242mm) x 16-1/4" (413mm) x 4" (102mm) minimum
SPS-60B	59-3/4" (1518mm)	17" (430mm)	4-3/4" (121mm)	58-5/8" (1489mm)	16-1/8" (410mm)	4" (102mm)	55-13/16" (1418mm)	12" (305mm)	58-7/8" (1496mm) x 16-1/4" (413mm) x 4" (102mm) minimum
SPS-74B	73-3/4" (1873mm)	17" (430mm)	4-3/4" (121mm)	72-5/8" (1845mm)	16-1/8" (410mm)	4" (102mm)	69-3/4" (1772mm)	12" (305mm)	72-7/8" (1851mm) x 16-1/4" (413mm) x 4" (102mm) minimum
SPS-100B	99-3/4" (2534mm)	17" (430mm)	4-3/4" (121mm)	98-5/8" (2505mm)	16-1/8" (410mm)	4" (102mm)	95-7/8" (2435mm)	12" (305mm)	98-7/8" (2512mm) x 16-1/4" (413mm) x 4" (102mm) minimum



FINISHED OPENING DIMENSIONS

W Width x H Height x D Depth



REMOTE CONTROL

Separate controls for on/off variable heat and variable flame, with independent flame & ember bed variable colors.

